

# MOSS LIGHTING

RENTAL INVENTORY

Lighting, Design & More

MOSS

Moss.Lighting

# RENTAL INVENTORY

## INDEX

### MOVING LIGHT *(pg. 3-7)*

- Elation Dartz 360
- V-Show Kuan S712
- V-Show Aura
- Aryton Magic Blade R
- V-Show B0640Z Tilt Batten

### LED *(pg. 8-12)*

- ACME Pixelline IP
- ChromaQ Color Force 12
- ADJ Cob Cannon
- V-Show s3602 Strobe
- V-Show 200W LED Blinder
- V-Show T360 Wireless Tube

### FOLLOW SPOT *(pg. 13)*

- V-Show LED Follow Spot 1000

### ATMOSPHERE *(pg. 14-16)*

- Chauvet Geyser P4
- Ultratec Radiance Hazer
- Elation Magama Prime

### CONTROL *(pg. 17-20)*

- MA3 Compact XT
- MA2 onPC Command Wing
- MA2 onPC Fader Wing
- ETC Ion 3k
- ETC 2x20 Fader Wing
- ETC 2x10 Fader Wing
- ETC Nomad 1024 w/ Gadget II

### DISTRIBUTION

- Soca 240 Amp 3Phase PD
- Lex 100 Amp 3Phase PD
- Obsidian EN12 & EN4 Nodes
- Netgear 8 & 16 Port POE
- MCSWE 2 Port Artnet to DMX
- 4ch XLR/DMX Ethernet Snake
- Wireless DMX System
- Apple Airport Extreme
- Elation 4ch Dimmer Pack

### VIDEO

- Sanyo PLC-XF71 10k Projector
- LNS-W02Z 1.4-1.8:1 Lens
- LNS-W03 .8:1 Lens
- NEC NP-PA500U 5k Projector
- NP13ZL 1.4-3:1 Lens
- NEC NP-UM330W 3k Projector
- Decimator MD-HX
- Resolume Arena License
- ASUS ROG STRIX G17
- ASUS Zenbook Duo

### RIGGING

- 1Ton Mode Motor
- 2.5m F34 Global Truss
- 19' 440lb Cap. Crank Stand
- 8' Tripod Stand w/ T-Bar
- Rockville RTP Go Totem Stand

# MOSS

# DARTZ 360

## MOVING LIGHT | BEAM



### FEATURES

- RGB Color Mixing
- 14 Gobos
- 16bit Continuous Pan & Tilt
- 3° Sharp Aperture
- Rotating 6-Facet Linear Prism
- Rotating 8-Facet Prism
- Motorized Focus
- Linear Frost
- Electronic Dimmer and Strobe

### CONNECTIONS

- True1 In & Out
- 5pin DMX and Ethercon In/Out
- E-Fly Wireless Transceiver

### SPECIFICATIONS

- 11.2"W 7.7"L 17.9"H
- 28lbs
- 100-240v
- 154W Max Consumption
- 50W LED

### CONTROL

- DMX
- Art-NET
- sACN
- 19/22/25ch

# KUAN S712

MOVING LIGHT | SPOT | HYBRID



## FEATURES

- CMY Color Mixing
- Variable CTO
- 8 Slot Color Wheel
- 16bit 540° Pan & 270° Tilt
- 12 Static & 7 Rotating Gobos
- Rotating 6-Facet Linear Prism
- Rotating 8-Facet Prism
- 3°-40° Motorized Zoom
- Motorized Focus
- Frost
- Electronic Dimmer + Strobe

## CONNECTIONS

- Powercon In/Out
- 3pin DMX In/Out

## SPECIFICATIONS

- 13.3"W, 10"L, 24.4"H
- 45.1lbs
- 100-240v
- 600W Max Consumption
- 450W LED

## CONTROL

- DMX 29ch
- RDM

# AURA

## MOVING LIGHT | WASH



### FEATURES

- **RGBW Color Mixing Output**
- **RGB Color Mixing Reflector**
- **16bit 540° Pan & 270° Tilt**
- **10°-60° Motorized Zoom**
- **Electronic Dimmer + Strobe**

### CONNECTIONS

- **Powercon In/Out**
- **3pin DMX In/Out**

### SPECIFICATIONS

- **11.8"W, 7.9"L, 15"H**
- **20lb**
- **19x15W LED Output**
- **30x .5W LED "Aura" Reflector**

### CONTROL

- **DMX 14/25ch**
- **Usable with Mac Aura Profiles**

# MAGIC BLADE R

MOVING LIGHT | BEAM



## FEATURES

- 7x Individually Controlled RGBW LEDs
- Continuous Pan/Tilt Rotation
- High Speed Pan/Tilt
- Uniform light; no color shadow
- 4.5° Fixed Beam
- Electronic Dimmer + Strobe

## CONNECTIONS

- True 1 In/Out
- 5pin DMX In/Out
- Ethercon In/Out
- CRMX Wireless receiver

## SPECIFICATIONS

- 22.5"W, 7.25"L, 10.5"H
- 26.7lbs
- 100-240v
- 200W Max Consumption
- 105W LED

## CONTROL

- DMX 18ch, 30ch, 44ch
- RDM
- Artnet
- sACN

# BOG40Z TILT BAR

MOVING LIGHT | WASH | BEAM



## FEATURES

- RGBW Color Mixing
- 16bit 270° Tilt
- 5°-45° Motorized Zoom
- 6 Pixel Zones
- Electronic Dimmer + Strobe

## CONNECTIONS

- Powercon In/Out
- 3pin DMX In/Out

## SPECIFICATIONS


- 20"W, 3.9"L, 11.8"H
- 19.8lbs
- 100-240v
- 640W Max Consumption
- 6x40W LED

## CONTROL

- DMX18/32ch
- RDM

# PIXELLINE IP

LED | STROBE | EYE CANDY



## FEATURES

- RGB Color Mixing
- 32 Pixels of RGB LED
- 16 Pixels of White LED
- Electronic Frost
- Electronic Dimmer + Strobe
- Interconnectable Rigging
- Adjustable Feet

## CONNECTIONS

- Powercon In/Out
- 3pin DMX In/Out

## SPECIFICATIONS


- 39.4"W, 3.5"L, 4.9"H
- 19lbs
- 672x.5W RGB LED
- 112x3w White LED

## CONTROL

- DMX 7/15/17/21/33/39/35/38/70/  
112/117ch
- RDM

# S3602 STROBE

LED | STROBE | EYE CANDY



## FEATURES

- RGB Color Mixing
- 48 Pixel Reflector “Aura”
- 120° White Center LED
- Electronic Dimmer + Strobe
- Interconnectable Rigging

## CONNECTIONS

- Powercon In/Out
- 3pin DMX In/Out

## SPECIFICATIONS


- 18.1”W, 3.3”L, 10.4”H
- 9.6lbs
- 216x.5W White LED
- 144x.5w Reflector LED

## CONTROL

- DMX 7/13/148ch

# T360 LED TUBE

LED | WASH | EYE CANDY



## FEATURES

- **RGB Color Mixing**
- **16 Pixel Sections**
- **360° Soft Light**
- **Battery Powered**
- **Freestanding Tripod Stand**
- **Hanging Clamp**
- **Wireless Control Unit**

## CONNECTIONS

- **Powercon In/Out**
- **3pin + 5pin DMX In/Out**
- **Ethercon In/Out**

## SPECIFICATIONS

- **2"W, 2"L, 44.5"H**
- **96pcs 5050 RGB LED**
- **100-240v**
- **200W Max Consumption**
- **10hr Battery, 5hr Charge**

## CONTROL

- **DMX 7/36/48ch**
- **Artnet**
- **IR Wireless**
- **App (LED LAMP)**

# COB CANNON

LED | WASH



## FEATURES

- **RGBA Color Mixing**
- **80° Beam**
- **Optional 40° or 50° Lenses**
- **Electronic Dimmer + Strobe**

## CONNECTIONS

- **Powercon In/Out**
- **3pin DMX In/Out**
- **5pin DMX In/Out**

## SPECIFICATIONS

- **16.2"W, 9.7"L, 7.5"H**
- **9lb**
- **100-240v**
- **132W Max Consumption**

## CONTROL

- **DMX 3/4/5/6/7/9/10ch**

# COLOR FORCE 12

LED | WASH



## FEATURES

- **RGBA Color Mixing**
- **2 Cell Control**
- **26° Beam**
- **Electronic Dimmer + Strobe**

## CONNECTIONS

- **Powercon In/Out**
- **5pin DMX In/Out**

## SPECIFICATIONS

- **13.2"W, 7.5"L, 8.6"H**
- **9lb**
- **100-240v**
- **120W Max Consumption**

## CONTROL

- **DMX 1/3/4/5/6/7/8/9ch**

# LED FOLLOW SPOT

LED | FOLLOW SPOT



## FEATURES

- Bright LED Source
- 6 Colors
- 2 CTO Filters
- 6-10° Zoom
- Motorized Focus
- Motorized Iris
- Electronic Dimmer + Strobe
- Operation Handles
- Adjustable Stand

## CONNECTIONS

- Powercon In
- 3pin DMX In/Out

## SPECIFICATIONS

- 47.5"W, 14.8"L, 16.5"H
- 84lb
- 100-240v
- 1000W Max Consumption

## CONTROL

- DMX 8ch
- On Board Control Panel

# GEYSER P4

ATMOSPHERE | FOG | FX



## FEATURES

- **RGBA+UV Color Mixing**
- **Pyrotechnic Like Effect**
- **Vertical Fog Jet Up To 12'**
- **Electronic Dimmer + Strobe**

## CONNECTIONS

- **IEC Power Input**
- **3pin DMX In/Out**

## SPECIFICATIONS

- **13.4"W, 10.2"L, 7"H**
- **12.4lbs**
- **120v**
- **1,300W Max Consumption**
- **Output 13,500 CFM**

## CONTROL

- **DMX 10ch**
- **Wireless Remote**

# RADIANCE HAZER

ATMOSPHERE | HAZE



## FEATURES

- Water Based Hazer
- Continuous Run Time
- Variable Haze Volume
- Variable Fan Speed
- Efficient Fluid Use

## CONNECTIONS

- IEC Power In
- 5pin DMX In/Out
- 5pin Remote

## SPECIFICATIONS

- 16"W, 13"L, 7"H
- 28lbs
- 120v
- 500w Max Consumption
- Output 10,000 CFM

## CONTROL

- DMX 2ch
- Manual
- Wired Remote

# MAGMA PRIME

ATMOSPHERE | FAZER



## FEATURES

- Water Based Hazer + Fogger
- Continuous Run Time
- Variable Haze Volume
- Variable Fan Speed

## CONNECTIONS

- True1 In
- 5pin DMX In/Out

## SPECIFICATIONS

- 13.3"W, 6.3"L, 15.7"H
- 22.4lbs
- 120v
- 700W Max Consumption
- Output 4,000 CFM

## CONTROL

- DMX 1/3/5ch
- RDM
- Manual
- Timer

# MA3 COMPACT XT

## CONTROL | CONSOLE



### FEATURES

- 2 Built In Multi Touch Screens
- 5 Dual Clicking Encoders
- 17 Motorized Backlit Fader
- 38 RGB Backlit Mini Encoders
- 61 Assignable Executors
- Dedicated Intensity Wheel

### CONNECTIONS

- Powercon Input
- 6 Total 5pin DMX Outputs
- 5pin DMX Input
- USB Type A
- Midi In/Out
- 3pin XLR LTC Input
- DisplayPort Out

### SPECIFICATIONS

- 8,192 Parameters in MA3
- 4,096 Parameters in MA2
- 34"W, 17"L, 17"H
- 120-240v
- 45lbs

### CONTROL

- DMX
- Artnet
- sAcn
- MA-net
- RDM
- Midi

# MA2 ONPC

## CONTROL | PC WING



### FEATURES

- 2,048 Parameters Per Wing
- 4 clicking Encoders
- Rolling Level Wheel
- grandMA2 Command Section
- Main Cuestack Buttons
- 21 Total Assignable Faders

### CONNECTIONS

- IEC Power Input
- 6 Total 5pin DMX Outputs
- 5pin DMX Input
- USB Type B
- Midi In/Out
- 3pin XLR LTC Input

### SPECIFICATIONS

- 21.3"W, 15.7"L, 3"H
- 120-240v
- 13.2lbs

### CONTROL

- DMX
- Artnet
- sAcn
- MA-net
- RDM
- Midi

# ETC ION CLASSIC

## CONTROL | CONSOLE



### FEATURES

- 6,144 Parameters
- Master Playback Fader Pair
- Dedicated Grandmaster
- Four Pageable Encoders
- Running ETC Eos 2.9
- 19" Elo Touchscreen Included

### CONNECTIONS

- IEC Power Input
- 7 USB A
- Midi In/Out
- 2 DVI
- VGA
- Ethernet

### SPECIFICATIONS

- 17.9"W, 18.2"L, 5.3"H
- 120-240V
- 240W Power Consumption

### CONTROL

- DMX
- Artnet
- sAcn
- RDM

# ETC FADER WINGS

CONTROL | EXPANSION ACCESSORY



## FEATURES

- Up To 40 Assignable Faders
- Compatible w/ ETC Eos Family
- Compatible w/ ETC Nomad
- Integral LCD Display

## CONNECTIONS

- 12v Power Input
- USB B

## SPECIFICATIONS

- 17.9"W, 15.9"L, 5.3"H
- 12v DC
- 10w Power Consumption
- 20 & 40 Fader Options

## CONTROL

- ETC Eos Family
- ETC Nomad (PC)

# 100AMP 3 PHASE

## DISTRIBUTION



### FEATURES

- Power Distribution
- Compact Design
- Latching Circuit Cover
- Color Cordinated Legs

### CONNECTIONS

- Camlock 5 Wire Input
- 20x Edison Receptacles

### SPECIFICATIONS

- 14.5"W, 14.5L, 14.25H
- 120-208V
- 3 Phase
- 100amp Max Per Leg
- 15x 20amp Circuit Breaker

# ROCKVILLE RTP GO

## RIGGING | STAND



### FEATURES

- **Easy To Assemble**
- **No Tools Required**
- **Adjustable Height**
- **Holes For Cabel Management**
- **Black or White Scrim**
- **Compact For Travel**
- **Carrying Bag**
- **Black Metal**
- **Optional Speaker Mount**

### SPECIFICATIONS

- **19.6"W, 19.6L, .11H Base**
- **11.8"W, 11.8L, 39"-70"H Totem**
- **31.5"W, 12"L, 6.3"H Transport**
- **37lbs Unit Weight**
- **132lbs Max Weight**

# PRICE & QUANTITY

Contact us for package pricing and discounts!

## MOVING LIGHT

8x Elation Dartz 360  
8x V-Show Kuan S712  
16x V-Show Aura  
8x Ayton Magic Blade  
4x V-Show B0640Z

## LED

16x Acme Pixelline IP  
16x ColorForce 12  
7x ADJ Cob Cannon  
16x V-Show s3602  
4x V-Show 200W Blind  
8x V-Show T360

## FOLLOW SPOT

1x LED Follow Spot

## ATMOSPHERE

4x Chauvet Geyser P4  
1x Radiance Hazer  
3x Magama Prime

## CONTROL

1x MA3 Compact XT  
1x MA2 Command  
1x MA2 Fader  
1x ETC Ion 3k  
1x ETC 2x20 Fader  
1x ETC 2x10 Fader  
2x ETC Nomad + Gadget II  
1x Depence R4 Stage Dongle

## DISTRIBUTION

1x Soca 240 Amp 3 Phase PD  
1x Lex 100 Amp 3 Phase PD  
2x Obsidian EN12 Node  
1x Obsidian EN4 Node  
3x Netgear Net. Switch POE  
1x MCSWE 2 Artnet Node  
3x 4ch DMX Snake  
1x Wireless DMX Kit

## VIDEO

2x Sanyo PLC-XF71  
2x LNS-W02Z  
2x LNS-W03  
3x NEC NP-PA500U  
3x NP13ZL  
2x NEC NP-UM330W  
1x Decimator MD-HX  
1x Resolume License  
2x ROG STRIX G17  
1x Zenbook Duo

## RIGGING

6x 2.5m F34 Truss  
2x Mode 1Ton Motor  
2x 19' Crank Stand  
2x 8' Tripod Stand  
8x RTP Go Totem Stand

## MISC

6x Stations